December 5, 2024

NOVONIX Investor Day

Important Notice and Disclaimers

The information contained in this presentation (the "**Presentation**") has been prepared by NOVONIX Limited (ACN 157 690 830) ("**the Company**" or "**NOVONIX**") solely for information purposes and the Company is solely responsible for the contents of this Presentation. It is intended to be a summary of certain information relating to the Company as at the date of the Presentation and does not purport to be a complete description of NOVONIX or contain all the information necessary to make an investment decision. Accordingly, this Presentation is not intended to, and should not, form the basis for any investment, divestment or other financial decision with respect to the Company. Any reproduction or distribution of the Presentation, in whole or in part, or the disclosure of its contents, without prior consent of the Company, is prohibited.

Not an Offer

This Presentation does not constitute, nor does it form part of an offer to sell or purchase, or the solicitation of an offer to sell or purchase, any securities of the Company. This Presentation may not be used in connection with any offer or solicitation by anyone in any jurisdiction in which such offer or solicitation is not permitted by law or in which the person making the offer or solicitation is not qualified to do so or to any person to whom it is unlawful to make such offer or solicitation. Any offering of securities will be made only by means of a registration statement (including a prospectus) filed with the U.S. Securities and Exchange Commission (the "**SEC**"), after such registration statement becomes effective, or pursuant to an exemption from, or in a transaction not subject to, the registration requirements under the U.S. Securities Act of 1933, as amended. No such registration statement has become effective, as of the date of this Presentation.

Cautionary Note Regarding Forward-Looking Statements

This Presentation contains forward-looking statements about the Company and the industry in which it operates. Forward-looking statements can generally be identified by use of words such as "anticipate," "believe," "contemplate," "continue," "could," "estimate," "expect," "intend," "may," "plan," "potential," "predict," "project," "should," "target," "will," or "would," or other similar expressions. Examples of forward-looking statements in this Presentation include, among others, statements we make regarding our progress and timing of meeting our target production capacity and scaling of production at our Riverside and planned new facilities, our ability to meet the demands, qualifications and timelines of our existing and future customers and to realize the benefits of our collaborations with customers such as LG Energy Solution, our estimates of existing and future customer offtake volumes and demand, the anticipated operating costs, pricing and other operating performance metrics of our Riverside facility, the expected economic impact of the U.S. Department of Energy Office of Manufacturing & Energy Supply Chains US$100 million grant and the US$103 million tax credit under the Qualifying Advanced Energy Project Allocation Program, our ability to obtain and benefit from additional government funding and other support, including a loan from the DOE Loan Programs Office, our plan for financing and constructing a new greenfield facility, our expectation of generating strong cash flow and margins, future growth through sales of advanced battery materials, battery testing equipment and cell development and testing services, the continued investment in, commercialization of, and potential results of our cathode synthesis technology and pilot line, the continued progress of the proposed combination of Mount Dromedary natural graphite assets with Lithium Energy Limited graphite assets and the initial public offering of Axon Graphite, and our ability to help lead the localization of the North American supply chain for synthetic graphite and achieve and maintain market recognition as a leader in the battery materials sector. We have based such statements on our current expectations and projections about future events and trends that we believe may affect our financial condition, results of operations, business strategy and financial needs. Such forward-looking statements involve and are subject to known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements. Such factors include, among others, the timely deployment and scaling of our furnace technology, our ability to meet the technical specifications and demand of our existing and future customers, the accuracy of our estimates regarding market size, current and future customer demand, and our expenses, future revenue, capital requirements, needs and access for additional financing, the availability and impact of government support, our ability to develop and commercialize our cathode materials and produce them at volumes with acceptable performance, yields and costs and without substantial delays or operational problems, our ability to obtain patent rights effective to protect our technologies and processes and successfully defend any challenges to such rights and prevent others from commercializing such technologies and processes, and regulatory developments in the United States, Australia and other jurisdictions. These and other factors that could affect our business and results are included in the Risk Factors section of this Presentation and in our filings with the U.S. Securities and Exchange Commission ("SEC"), including the Company's annual report on Form 20-F. Copies of these filings may be obtained by visiting our Investor Relations website at www.novonixgroup.com or the SEC's website at www.sec.gov.

Industry and Market Data

This Presentation contains estimates and information concerning our industry and our business, including estimated market size and projected growth rates of the markets for our products. Unless otherwise expressly stated, we obtained this industry, business, market, and other information from reports, research surveys, studies and similar data prepared by third parties, industry, and general publications, government data and similar sources. This Presentation also includes certain information and data that is derived from internal research. While we believe that our internal research is reliable, such research has not been verified by any third party.

Estimates and information concerning our industry and our business involve a number of assumptions and limitations. Although we are responsible for all of the disclosure contained in this Presentation and we believe the third-party market position, market opportunity and market size data included in this Presentation are reliable, we have not independently verified the accuracy or completeness of this third-party data. Information that is based on projections, assumptions and estimates of our future performance and the future performance of the industry in which we operate is necessarily subject to a high degree of uncertainty and risk due to a variety of factors, which could cause results to differ materially from those expressed in these publications and reports.

Trademarks, Service Marks and Trade Names

Throughout this Presentation, there are references to various trademarks, service marks and trade names that are used in the Company's business. "NOVONIX," the NOVONIX logo and other trademarks or service marks of NOVONIX appearing in this Presentation are the property of NOVONIX or its subsidiaries. Solely for convenience, the trademarks, service marks and trade names referred to in this Presentation are listed without the ® or ™ symbol, as applicable, but such references should not be construed as any indicator that their respective owners will not assert, to the fullest extent under applicable law, their right thereto. All other trademarks, trade names and service marks appearing in this Presentation are the property of their respective owners.

NOVONIX
Team Introductions

NOVONIX™

Dr. Chris Burns, Chief Executive Officer

- Co-developed the breakthrough Ultra High Precision Coulometry (UHPC) technology with Professor Jeff Dahn
- Co-founded NOVONIX Battery Technology Solutions in Canada in 2013
- Former Senior Research Engineer with Tesla
- As Tesla's first technical hire in Canada in 2015, Dr. Burns led projects in materials and battery characterization with the goals of selecting EV and ESS battery chemistry and materials
- Dr. Burns holds multiple patents related to Li-ion batteries and is a co-author on peer reviewed journal articles that have been cited over 4,000 times
- Received his PhD and MS in Physics from Dalhousie University in Halifax, Nova Scotia, and his BS in Physics from St. Francis Xavier University in Nova Scotia

Our Executive Team

Robert Long, CFO

- Over 25 years of experience in the business and finance sectors.
- From 2020 to 2024 was Founder/Chief Executive Officer of Bridges Consumer Healthcare, Senior Vice President Strategy for Shaw Industries from 2019 to 2020, various roles of escalating responsibility leading to the final position (2015 – 2019) as Head of North America Region/CEO of Chattem, Inc. with Sanofi Consumer Healthcare
- Certified Public Accountant in the State of Tennessee and a graduate of the University of Tennessee at Chattanooga.

Rashda Buttar, CLAO

- Over 25 years of corporate legal experience in senior roles for US publicly listed corporations
- Previously an SVP – General Counsel and Corporate Secretary of Foresight Energy LP from 2011 to 2017; VP, Associate General Counsel and Corporate Secretary of Patriot Coal Corporation from 2007 to 2011; and Assistant General Counsel and Assistant Corporate Secretary of TALX Corporation from 2003 to 2007
- Juris Doctor from St. Louis University School of Law, B.A. from St. Louis University in Russian and Eastern European Studies, Political Science

Darcy MacDougald, COO

- Previously President of NOVONIX Battery Technology Solutions
- Over 15 years of senior leadership experience scaling high-growth operations in both listed and PE-backed electronics manufacturing, telecommunications, pharmaceutical marketing, and clinical research organizations
- From Prince Edward Island, Canada, MacDougald graduated from the University of New Brunswick, with a bachelor's degree in Electrical Engineering and holds a Master's in Business Administration from Saint Mary's University in Halifax, Nova Scotia

Board of Directors & Advisors

Board of Directors

Admiral Robert J. Natter
Chairman &
Non-Executive Director

Tony Bellas
Deputy Chairman &
Non-Executive Director

Sharan Burrow AC
Non-Executive Director

Ron Edmonds
Non-Executive Director

Nick A. Liveris
Non-Executive Director

Jean Oelwang
Non-Executive Director

Suresh Vaidyanathan
Non-Executive Director

Advisors

Dr. Jeff Dahn
Chief Scientific Advisor

Dr. Mark Obrovac
Sponsored Researcher

Andrew N. Liveris AO
Special Advisor

Professional Experience

TESLA · 3M · DALHOUSIE UNIVERSITY · McKinsey & Company · ERGON ENERGY · FORESIGHT ENERGY · PHILLIPS 66 · DOW · IBM · Virgin unite · ارامكو السعودية Saudi Aramco

Company Overview

NOVONIX™

Competitive Advantage Through Synergistic Operating Structure

NOVONIX™ ANODE MATERIALS

- Leading domestic supplier of battery-grade synthetic graphite
- Large scale and sustainable production to advance North American battery supply chain
- Strategically positioned to accelerate clean energy transition through proprietary technology, advanced R&D and partnerships

NOVONIX™ CATHODE MATERIALS

- Commercializing patented cathode synthesis technology
- Process technology minimizes environmental impact while producing high performance materials
- Pilot line producing cathode samples with total production capacity of up to 10 tpa

NOVONIX™ BATTERY TECHNOLOGY SOLUTIONS

- Provides industry leading Ultra-High Precision Coulometry cell testing equipment
- Offers R&D Services with in-house pilot line, cell testing, and expertise to accelerate customer development programs

Providing Revolutionary Solutions to the Battery Industry

Investment Highlights

- Leading U.S. based battery materials and technology company with lower carbon footprint
- Binding Tier 1 offtake agreements with **Stellantis**, **PowerCo** and **Panasonic Energy** for all Riverside production volumes, to begin production of synthetic graphite in 2025
- US$100m grant from the Department of Energy Manufacturing and Energy Supply Chains Office and US$103m Qualifying Advanced Energy Project Tax Credit to support Riverside buildout along with strategic investments from **LG Energy Solution** and **Phillips 66**
- Patented all-dry, zero-waste NMC cathode synthesis process demonstrated at pilot scale – reducing cost and environmental footprint
- NOVONIX Battery Technology Solutions provides competitive advantage to accelerate innovation

NOVONIX™

Riverside Facility in Chattanooga, Tennessee

Proprietary Process Technologies Lead the Clean Energy Transformation

NOVONIX ESG Commitment

Environmental
Our mission is to develop innovative, sustainable technologies and high-performance materials to service the electric vehicle and energy storage industries

Social
The health, safety, and wellbeing of our employees and the communities we operate in are essential to NOVONIX's success and growth

Governance
NOVONIX believes corporate governance is central to its business objectives and a critical element contributing to the preservation of shareholder value

Environmental Benefits of NOVONIX Technology

	Anode Technology	Cathode Technology
Inputs	• Clean power sources[1] • High purity input materials	• Reduced power requirements • No reagents
Process	• Proprietary furnace and process technology • Increased energy efficiency • No chemical purification	• Proprietary all-dry, zero-waste cathode synthesis technology • Simplified processing requirements and flowsheet
Outputs	• Support higher-performance lithium-ion batteries resulting in longer life • Negligible facility emissions • LCA[2] demonstrated a ~60% decrease in global warming potential	• No sodium sulfate waste • Eliminates process waste-water • Negligible facility emissions

1. Tennessee Valley Authority, 2022 Sustainability Report notes 52% of power is from carbon-free sources
2. The LCA conducted by Minviro Ltd. demonstrated a ~60% decrease in global warming potential relative to conventional anode grade synthetic graphite versus Chinese product

Key Highlights Driving Future Growth

Continuing to Secure Tier 1 Customers	• Signed binding offtake agreements with **Stellantis, PowerCo,** and **Panasonic Energy** with target volumes for all planned capacity at Riverside • Continuing to pursue additional supply agreements to allocate capacity from future Greenfield facility, with an initial production target of 30K tpa
Scaling Riverside Operations to Deliver Production Volumes	• Installing, commissioning, and start-up of equipment for commercial production capacity of 3K tpa at Riverside to support final qualification and start of production for **Panasonic Energy** in late 2025, **Stellantis** in 2026, and **PowerCo** in 2027 • Leverage Riverside engineering to progress Greenfield facility plans
Securing Financing to Further Scale Operations	• Invest alongside US$100m MESC grant funds to scale Riverside production • Attract additional strategic investment to continue the production build out of Riverside • Continue to progress DOE Loan Program Office application for Greenfield facility
Upholding Industry Leading Efforts for Battery Materials	• Continue demonstration of high-nickel cathode materials from patented all-dry, zero-waste process in full-cell performance at pilot scale • Build upon **CBMM** and **ICoNiChem** partnerships to improve NOVONIX cathode technology and while pursuing partnerships to commercialize and deploy technology

Battery Technology Solutions

NOVONIX

NOVONIX is at the Forefront of Battery Technology

UHPC Hardware

Enables Quick Reliable Predictions of Battery Lifetime

UHPC

R&D Services

Materials Development and Characterization

Analytical materials lab

Cell Design and Prototyping

Pouch and cylindrical cell manufacturing pilot line

Cell Testing

Diagnostic tools and performance testing

NOVONIX Battery Technology Solutions provides cutting edge technology that is highly sought after for R&D services to create the next generation battery — potentially accelerating R&D from years to weeks with proprietary technology

NOVONIX Ultra-High Precision Coulometry (UHPC)

Stanford University

Ford

3M

Caltech

SANYO

Canada NRC·CNRC

dyson

SAMSUNG

LG Energy Solution

Panasonic ENERGY

HARVARD UNIVERSITY

Massachusetts Institute of Technology

NOVONIX UHPC Delivers More Precision and Accuracy

System	2x St. Dev	
NVX UHPC	+/- 0.00004	40 ppm
Cycler 1	+/- 0.00196	1960 ppm
Cycler 2	+/- 0.00146	1450 ppm
Cycler 3	+/- 0.00519	5190 ppm



- CE measurements taken on the same 8-9 cells on four common research-grade battery testing systems under identical conditions (40°C, 3.0V - 4.0V, 200mA (~C/15))
- Scatter points are individual cycle data for all 8-9 cells on each tester
- Range is shown as 2x standard deviation

NOVONIX Research & Development Services

R&D Services

We support customers with:

- Industry Insight
- Flexible Prototyping Facility
- Extensive Testing Capabilities
- Data Analysis & Reporting
- Evaluation Services

Cathode Materials

NOVONIX™

Patented Cathode Synthesis Provides Clean and Simple Process

Opportunity Overview

- In 2024 the global cathode active material ("CAM") market size value estimated at US$27B, with a forecasted revenue of >US$100B by 2030[1]
- Nickel-based cathode material represents about 30-50% of the cost of a battery cell
- Each tonne of cathode powder generates 3,500-15,000 liters of water waste and 1-2 tonnes of sodium sulphate waste[2]
- With multiple patent applications filed, cathode synthesis technology provides high nickel cathode materials with:
  - Higher yields at lower costs
  - No water waste
  - Flexible input materials

A Closer Look at the NOVONIX All-Dry, Zero-Waste Synthesis Process



1. Mordor Intelligence, Benchmark Minerals, various Equity Research reports including Bernstein and JP Morgan and NOVONIX estimates
2. J.Power Sources: S. Ahmed, P.A. Nelson, K.G. Gallagher, N. Susarla, D.W. Dees. Cost and energy demand of producing nickel manganese cobalt cathode material for lithium-ion batteries

Cathode Technology Demonstration at Pilot Scale

Cathode Pilot Line with nameplate capacity of 10 tpa

Overview

- 2021: NOVONIX began development of its patented all-dry, zero-waste cathode synthesis technology
- July 2023: Commissioned pilot line with a nameplate capacity of 10 tpa to demonstrate scalability of NOVONIX's technology
- Currently sampling materials to Tier 1 materials producers, cell manufacturers, and OEMs

Commercialization Plan

- NOVONIX is committed to a phased commercialization strategy that leverages our existing expertise, strategic partnerships, and ongoing R&D to position our CAM processing technology to have a transformative impact on the lithium-ion battery sector
- Build on successes to accelerate commercialization through:
  - Aligning Technology to Global Market Trends
  - Strategic Development Partnerships
  - Technology Licensing and Joint Ventures
  - Leverage Government Support and Potential Strategic Investment

Cathode Synthesis: Engineering Scoping Study Results

NOVONIX engaged Hatch to provide a 'Process Comparison Study' by contrasting the **NOVONIX All-Dry, Zero-Waste Cathode Synthesis Process** against conventional cathode synthesis for comparative costs and environmental details

Hatch Study Estimated Findings [FEL-1]

Capital Intensity Lowered by ~30 %	• Fewer unit operations leads to simplified flowsheet • Higher mass feed rate due to 'hydroxide-free' feedstock

Operational Process Expenses Lowered by ~50%	• Fewer unit operations leads to lower labor costs
	• Low-to-no processing reagents
	• Lower power consumption
	  • More efficient calcination
	  • Fewer processing steps
	• Lower maintenance costs
	• Lower waste treatment costs

More Environmentally Friendly process	• ~27% lower power consumption & CO2 intensity • ~65% less water usage • Eliminates production of sodium sulphate byproduct • No ammonia required removing a significant safety risk

Note: Please see Hatch disclaimer shown in Sept 12, 2023 press release on Study description and estimates.

NMC622 Cathode Cycling Performance Competitive with Commercial Materials

Full-Cell Cycling Performance of NOVONIX Single-Crystal NMC622



Product	Capacity Retention at Cycle 300[1]
NOVONIX Coated Cathode	93.4%
Commercial Cathode 1	93.1%
Commercial Cathode 2	92.9%
Commercial Cathode 3	92.5%

SEM Images of Single-Crystal NMC622

Normalized electrochemical results in 1Ah pouch cell show that surface-coated NOVONIX NMC622 has comparable electrochemical performance to commercial NMC materials



1. *40°C; 2.8-4.3V; 1.2M $LiPF_6$ EC:EMC:DMC(25:5:70)+3VC; [Charge] : CC-0.33C; [Discharge] : CC-0.33C*

Cathode Materials Technology Partnerships

CBMM

- Joint Development Agreement focused on nickel-based cathode materials
- CBMM is a global leader in the production of niobium specialty chemicals for a variety of applications from steel making to energy storage
- NOVONIX will use its patented all-dry, zero-waste cathode synthesis process to synthesize, test, and analyze cathode active materials that incorporate CBMM's suite of niobium products
- This 1-year project aims to evaluate the performance-enhancing additives for NMC powders with the goal of developing a CAM with improved performance at a lower cost

ICoNiChem Widnes Limited

- Joint Collaboration Agreement focused on sustainable cathode material feedstock
- ICoNiChem is a world leader in the production and commercialization of cobalt and nickel salts based in the UK
- Collaboration aims to enhance the recycling and reuse of critical materials used in lithium-ion batteries
- This 2-year project, supported by the National Research Council of Canada Industrial Research Assistance Program (NRC IRAP)and Innovate UK, focuses on closing the loop on an already sustainable process to incorporate recycled material feeds

Anode Materials

NOVONIX™

Graphite: The Forgotten Critical Mineral

Current State

- The North American market for active materials is forecasted to grow by a factor 10 from 2023 to 2030. By weight, graphite is the primary active material of all critical materials[1].
- China has over 95% market share for battery grade graphite[2]
- Graphite represents >90% of the supply of active anode material of lithium-ion batteries[2]
- December 2023: China enforces new export control measures for battery graphite
- June 2024: US reinstates 25% Section 301 import tariffs on battery-grade graphite materials from China
- US reliance on Chinese graphite and battery materials presents challenges for IRA compliance

1. Benchmark Mineral Intelligence GigaFactory Report October 2024; PWC Gigafactories & Raw Materials, August 2022
2. Benchmark Minerals Intelligence Anode Price Assessment September 2024

Solution

- **If China were to cease exporting of synthetic graphite it would have a significant impact on global production of lithium-ion batteries**
- NOVONIX founded its Anode Materials Division in 2017 recognizing this impending problem, and is the only company currently positioned to start production of battery-grade synthetic graphite in the US in 2025

NOVONIX Riverside Facility in Chattanooga, Tennessee
Facility to scale to 20K tpa aligned with customer demand

NOVONIX is Localizing the Synthetic Graphite Supply Chain

NOVONIX Anode Material Progress & Advantages

Domestic Supply
Producing high-performance synthetic graphite materials sustainably for local supply of Tier 1 battery and OEM customers

High Performance
Our products are developed to meet or exceed Tier 1 EV OEMs specifications

Cleaner, More Efficient Technology
Produced with cleaner energy sources with virtually zero emissions and uses no chemicals harmful to the environment

Strategic Relationships
Leveraging close collaboration with partners and customers to bring our anode materials to market

Key Strategic Relationships

Tier 1 Customer Agreements Anchor Customers for Riverside Facility	STELLANTIS, Panasonic ENERGY, PowerCo
Technology Agreements Progressing Qualification to Lead to Future Supply Agreements	LG Energy Solution, PHILLIPS 66, PowerCo
Strategic Investors Invested US$180 Million	LG Energy Solution, PHILLIPS 66
Strategic Suppliers Raw Material Suppliers and Technology	PHILLIPS 66, Harper International

Production Capacity will Benefit From Expected Demand

North America Graphite Shortfall (K tpa)[1, 2]

- NOVONIX has agreements with companies whose facility plans account for ~42% of North American forecasted customer demand in 2030[1]



1. Benchmark Minerals Intelligence (October 2024), NOVONIX estimates and publicly available information.
2. NOVONIX estimates shown under 2025 are illustrative of Riverside's total target production level of 20K tpa. NOVONIX estimates shown under 2030 are illustrative of the Company's eventual production target of 150K tpa. Illustrative targets are not associated with the Company's production targets for the respective 2025 and 2030 years.

Anode Material Outperforms in Testing

- NOVONIX offers **improved capacity retention** compared to industry leading materials (including a Tesla Model S cell used as a reference benchmark)
- Better capacity retention means **less range loss over time** for an electric vehicle



NOVONIX's Product Technology Advantage

NOVONIX Advantage

- Applications such as electric vehicles and energy storage systems require differing properties:
  - Fast Charge
  - High Energy Density
  - Long Cycle Life
- NOVONIX's proprietary process provides consistent, high performance synthetic graphite, utilizing low emissions processing
- The Life Cycle Assessment conducted by Minviro Ltd. demonstrated a ~60% decrease in global warming potential relative to conventional anode grade synthetic graphite versus Chinese product[1]

Product Engineered Specifically for Customers' Needs













1. June 29, 2022: NOVONIX Synthetic Anode Material Leads the Industry in Environmentally Sustainable Manufacturing Practices

NOVONIX Anode Materials Processing Steps

Optional Steps

Raw Material:
Petroleum Col

Precursor Crushing



Precursor Micronizing and Classification



Shaping



Agglomeration



Calcination



De-Agglomeration

Graphitization



Particle Coating



Calcination



Sieving / Magnetic Separation and Packaging

Riverside at Capacity with Current Offtake Agreements

Customers* Supporting Growth

STELLANTIS	6-year commitment for up to a target volume of 115,000 tonnes starting in 2026 to cell manufacturers LGES & Samsung
PowerCo	5-year commitment for a minimum of 32,000 tonnes starting in 2027
Panasonic ENERGY	4-year commitment totaling 10,000 tonnes following successful qualification in 2025
LG Energy Solution	Upon successful completion of JDA, LGES has the option to purchase up to 50,000 tonnes over a 10-year period

Continuing discussions with other Tier 1 cell manufacturers and OEMs expected to lead to additional contracted volumes of synthetic graphite with a target of 150K+ tpa

Contracted Customer Volumes[1,2]



1. Contracted volumes shown require product qualification and growth dependent on customer plans and capital availability. NVX will add production lines at facilities to generally align with contracted volumes
2. The volumes shown are management's annual estimates of the offtakes for Stellantis, PowerCo and Panasonic, including the assumption that Panasonic contract is renewed past 2028

* Agreements require final product qualification. The Company also has a supply agreement with KORE Power to support its proposed KOREplex facility in Arizona, but, because milestones regarding financing, construction and the timeline of the facility have not been met, the Company has not factored any potential purchase by KORE Power into its currently planned allocation of capacity. If and when the parties reach these milestones and KORE Power proceeds with the construction of the KOREplex facility, NOVONIX will work to supply the facility with its required anode material per the terms of the existing agreement

Recently Announced: Binding Offtake Agreement with Stellantis N.V.

Stellantis is partnered with LGES and Samsung SDI for their battery cell needs in North America. Stellantis plans to double its BEV offerings from 30 models today to 60 in the next three years.

Overview

- Stellantis is one of the world's leading automakers – brands including Dodge, Fiat, Jeep, and Ram
- Stellantis plans to invest more than €50 billion over the decade in electrification to deliver on its targets of reaching a 100% passenger car battery-electric vehicles ("BEV")
- Stellantis is securing approximately 400 GWh of battery capacity, including support from battery manufacturing plants in North America and Europe

Highlights of Agreement

- NOVONIX and Stellantis offtake commitment is for a minimum of 86,250 tonnes up to a target volume of 115,000 tonnes over the six-year term of the agreement
- The price of synthetic graphite products sold by NOVONIX under the offtake agreement will be based on an agreed upon market-based price formula
- The start of commercial supply is targeted for January 1, 2026, and the supply of high-performance synthetic graphite material under the agreement is subject to NOVONIX achieving agreed upon milestones regarding final mass production qualification and satisfying certain compliance criteria. If these milestones or requirements have not been satisfied, then Stellantis may terminate the agreement

Recently Announced: Binding Offtake Agreement with PowerCo

PowerCo schematic of the St. Thomas facility in Canada (above) that is under construction. Volkswagen's North American hub for electric vehicle assembly is in Chattanooga, Tennessee, and will assemble the all-electric ID.4 and house the high-tech Battery Engineering Lab.

PowerCo

Overview

- Volkswagen Group is bundling its global battery activities in the European company PowerCo SE. PowerCo plans to build three gigafactories in Europe and North America with a total capacity of up to 200 GW
- PowerCo is currently ramping-up its first gigafactory in North America, located in St. Thomas in Canada.
- The 90 GWh cell factory has a projected start of production in 2027 and is part of a larger plan that Volkswagen and PowerCo have for North America

Highlights of Agreement

- NOVONIX and PowerCo signed an offtake agreement for a minimum of 32,000 tonnes over a 5-year term starting in 2027
- Upon successful completion of product qualifications, PowerCo has agreed to purchase a minimum of 32,000 tonnes of high-performance synthetic graphite material
- Products will be priced under a mutually agreed upon pricing structure

Binding Offtake Agreement with Panasonic Energy

Panasonic Energy's Kansas Plant

Panasonic ENERGY

Overview

- Panasonic Energy is a leading developer of battery cell technology for EV and ESS batteries in the U.S.
- Panasonic Energy has developed relationships with Tesla, Honda, Toyota, Mazda, Subaru, Ford, and Lucid in North America to supply EV batteries
- Panasonic Energy plans to have ~71 GWh of gigafactories in North America[1]

Highlights of Agreement

- NOVONIX and Panasonic offtake agreement signed in February 2024 for high-performance synthetic graphite material to be supplied from NOVONIX's Riverside facility in Tennessee to support Panasonic Energy's North American operations
- Commencing in 2025, the agreement supports the purchase of 10K tonnes of synthetic graphite over 4 years and is subject to agreed upon milestones regarding final mass production qualification and timelines
- The agreement includes a pricing structure that incorporates a mechanism for price adjustments in response to significant changes in NOVONIX's raw material costs

1. Benchmark Mineral Intelligence Gigafactory Assessment, August 2024.

Our Strategic Relationship with LG Energy Solution

LGES has 6 plants in North America built or planned for completion in 2025

LG Energy Solution

Overview

- LGES is a leading U.S. based developer of battery cell technology for EV and ESS Batteries
- LGES has developed relationships with GM, Honda, Hyundai and Stellantis in North America to supply EV batteries
- LGES plans for 8 plants with ~347 GWh of gigafactories in North America

Highlights JDA and Investment Agreements

- NOVONIX and LGES signed a Joint Research and Development Agreement (JDA) in June 2023
- Upon successful completion of JDA, LGES has the option to purchase up to 50,000 tons of artificial graphite anode material over a 10-year period from the start of mass production in a separate supply agreement
- LGES invested US$30M in convertible notes issued by NOVONIX

Path to Commercial Production at Riverside

1H2024

February 2024
Announcement of the offtake agreement with Panasonic Energy

Equipment Deposits
Initial deposits on additional furnaces and equipment to reach 3K tpa of capacity

Facility Improvements
Production equipment installation and commissioning. Utility infrastructure to support equipment and automation

Engineering Report
Riverside independent engineering report completed

✓
Complete

2H2024

Installing Capacity to 3K tpa
Riverside in process of receiving, installing and commissioning equipment to reach initial 3K tpa to be operational in late 2025 in support of the Tier 1 supply agreements with Stellantis, PowerCo, and Panasonic Energy

On track

2025

3K tpa Production Start-up
Production line start-up late 2025

Investing Towards 5K tpa
Continue expansion of production through ordering, installation and commissioning of additional production equipment to support customer demand

On track

On-Site Equipment to be Commissioned


Grinding/Shaping


Gen 3 Furnace


Calciner


Sieve/De-Mag

Demonstrated Pathway to Profitable Production in the U.S.

Overview of Riverside Facility Unit Economics[1]



1. Operating Costs include raw materials, Riverside SG&A, labor, energy, maintenance, and depreciation. Cost and sale ranges are indicative of potential product types with different specifications. Margin includes the potential impacts of the 48C tax credit (expected to be monetized to support financing) and DOE MESC grant shown through reduced depreciation impact and excludes any potential benefit from Section 301 tariffs. Lower margin bound unchanged from previous lower target with potential implied value of 45X tax credit

Market & Government Influence on Economics

Pricing and margins range depend on:

- Product specification
  - Localization premium
  - U.S. Government initiatives:
    - Section 301 Tariffs – 25% tariff on graphite effective June 15, 2024
    - 48C Investment Tax Credit – 30% of investment, monetizable year placed in service
    - 45X Production Tax Credit – 10% of cost of production and is monetizable
    - Section 30D/IRA Compliance – 2027 requirement for not sourcing from FEOC
  - Continued production campaigns and independent engineering assessment support furnace throughput and demonstrate robust unit economics for Riverside
  - Unit economics expected to improve with increased scale achieved at future facilities

NOVONIX Anode Materials Phase 2

Greenfield Plan Overview

- A new Greenfield facility is planned to support an initial 30,000 tonnes per annum (tpa) by 2028, with potential to expand up to 75,000 tonnes
- Facility will be located in the southeastern United States
- NOVONIX is advanced in the application process with the DOE Loan Programs Office for financing support for this new facility
- Applied for a 48C investment tax credit for the Greenfield facility in October
    - The application is for up to 30% of the approved capital plans.
    - Expect to hear results early in 2025 (January)

Site Rendering

Greenfield Site Rendering

Goals for the Future of NOVONIX

- Scaling anode materials production capacity to 150K tpa
- Recognized battery technology leader
- Forefront of product innovation
- Patented, All-Dry Zero-Waste Cathode technology supported by our propriety processing
- Highly developed IP with leading market positions
- Foresee strong cash flow generation and margins

Contact Information

Corporate

Dr. Chris Burns, CEO

Robert Long, CFO

Suzanne Yeates, Secretary

Scott Espenshade, Investor Relations

Investor Relations: IR@novonixgroup.com

Media Relations: media@novonixgroup.com

NOVONIX Limited (ASX:NVX)
ACN 157 690 830
Level 38, 71 Eagle Street
Brisbane, QLD 4000 Australia

Operations

1029 West 19th Street
Chattanooga, Tennessee
USA, 37408

NOVONIX ANODE MATERIALS

353 Corporate Place
Chattanooga, Tennessee
USA, 37419

177 Bluewater Road
Bedford, Nova Scotia
Canada, B4B 1H1

NOVONIX BATTERY TECHNOLOGY SOLUTIONS

110 Simmonds Drive
Dartmouth, Nova Scotia
Canada, B3B 1N9

Appendix

NOVONIX™

U.S. Legislation Providing Direct Support

Section 301 Tariffs	• Section 301 includes a **25% tariff on artificial graphite imported from China** to help remove unfair market distortions imposed by China's anticompetitive behaviors and size advantage in the battery materials sector
IRA Tax Credits & Consumer Credit	• Inflation Reduction Act of 2022 ("IRA") includes tax and other incentives to promote U.S. production of electric vehicles ("EVs"), renewable energy technologies, and critical minerals, representing the single biggest climate investment in U.S. history. IRA includes a $7,500 federal consumer tax credit (Section 30D) for qualifying electric vehicles, — $3,750 of the credit must meet critical minerals requirement — $3,750 from battery components must meet be manufactured or assembled in North America or Countries with an FTA — FEOC component for graphite has been suspended until January 1, 2027, and Manufacturers must progress local supplies to remain qualified • New production and "advanced manufacturing" tax credits — Section 45X provides a 10% tax credit which is available to producers of electrode active materials (measured as a percentage of total cost of production). — Expands section 48C to provide $10 billion in tax credits. The tax credit is 30 percent of the amount invested in new or upgraded factories to build specified renewable energy components.
DOE MESC Grant, 48C ITC & DOE LPO Loan	• Finalized **US$100 million of grant funding by the Department of Energy (DOE)** Office of Manufacturing and Energy Supply Chains (MESC) to expand NAM's domestic production of high-performance, synthetic graphite anode materials – one of 21 winners across 12 categories • Selected for **$103 million 48C investment tax credit for Riverside facility**, which may be monetized. • Applied for a loan though DOE LPO. The loan, if received, would contribute toward funding the company's Greenfield facility

NVX Customer Progression Towards Supply Contract

Sample Size and Reference

Pre- A Samples

- 1 – 10 kg test sample for physical and basic electrochemical performance

A Sample

- Material must meet basic requirements when evaluated in reference cell typically built on cell maker pilot line
- Materially produced on **Pilot Line**

B Sample

- Material evaluated for performance and processibility on cell maker industrial scale line
- Materially produced on at **Representative Mass Production Scale**

C Sample

- Material evaluated in large scale run of cells which are typically passed to cell-maker customer for evaluation
- Material must be produced on **Completed Mass Production Line**

SOP Volumes

- Quality control audits must be passed, and regular outgoing and acceptance testing continues to validate consistent product quality
- Contracted volumes ramp to meet customer requirements

Customers

PowerCo

STELLANTIS

Panasonic ENERGY

LG Energy Solution

KORE

* NVX customers are in various stages of sample qualifications and are listed in chronological order by agreement execution date.

Chinese Oversupply Weighing on Pricing

Chinese Market Offers Wider Range of Products

- High-End Artificial Graphite – (>355mAh/g) – 53,800 CNY/mt
- Mid-End Artificial Graphite – (350-355 mAh/g) – 28,200 CNY/mt
- Low-End Artificial Graphite – (340-349 mAh/g) – 17,950 CNY/mt
- High-End Natural Graphite – (>360 mAh/g) – 50,500 CNY/mt
- Mid-End Natural Graphite – (355-360 mAh/g) – 32,400 CNY/mt
- Negative Pole (Acheson type) – 9,225 CNY/mt
- Spherical Graphite (National, 15-20 um) – 13,325 CNY/mt

Raw Material Input Pricing
Flake Graphite – 3,110 CNY/mt
Oil Needle Coke – 4,950 CNY/mt
Calcined Needle Coke – 7,150 CNY/mt
Coal Needle Coke – 5,225 CNY/mt

Chinese Market Pricing for Anode and Needle Coke



Source: Shanghai Metals Market, prices on Nov 29, 2024

Product Performance

C/3-C/3, NMC811, 2.8-4.2V, 40°C
1.2M $LiPF_6$ EC:EMC:DMC (25:5:70) 2%VC



Charge Rate Map, NMC811, 2.8-4.2V, 40°C
1.2M $LiPF_6$ EC:EMC:DMC (25:5:70) 2%VC



2C Discharge, NMC811, 2.8-4.2V, 40°C
1.2M $LiPF_6$ EC:EMC:DMC (25:5:70) 2%VC



Commercial Anode 1 **Commercial Anode 2** **NVX Long-Life EV Anode**

NOVONIX has Validated a Differentiated Technology Ready to Scale

	 Acheson Furnace	 Length-Wise Graphitization Furnace	 Induction Furnace	NOVONIX Continuous Induction Furnace
Energy Efficiency	✕	○	✓	✓
Processing Time	✕	○	✓	✓
Emissions Control	✕	✕	✓	✓
Atmospheric Control	✕	✕	✓	✓
Product Quality	○	○	○	✓
Throughput/Scalability	✓	✓	○	✓

Enabling Domestic US Supply Chain for EV Battery Grade Synthetic Graphite

Chinese Synthetic Graphite Supply Chain

1. Needle coke ships to Qingdao from Humber, UK **(12,500 miles)**

2. Road transport of precursor to grinding site near Shanghai **(450 miles)**

3. Road transport of ground needle coke to Inner Mongolia **(1,050 miles)**

4. Graphitization in Inner Mongolia powered by brown coal with no environmental standards or emissions controls

5. Road transport of graphite to southern China **(1,500 miles)**

6. Processing of graphite into BAM

7. Land transport of BAM to China port **(50 miles)**

8. BAM ships to US port in CA **(7,300 miles)**

9. Land transport of BAM to end-user in TN **(1,800 miles)**

24,650 Total Miles

NOVONIX Supply Chain



1. Needle coke transported from Lake Charles, LA to Chattanooga, TN **(670 miles)**

2. All processing of precursor to BAM in Chattanooga under strict environmental standards

3. Delivery of BAM to end-user in Chattanooga, TN **(34 miles)**
LGES, for illustrative purposes

704 Total Miles

NOVONIX facilitates a cleaner, more secure, supply chain of high-quality synthetic anode material to the North American market vs. Chinese competitors

Demonstration of Process Scalability is Essential

Lab Scale

- Synthesis of revolutionary material in the lab is ‘easy’
  - Lower barrier of entry
  - Material quality and performance can be readily tweaked using non-standard equipment
  - Sampling programs difficult to progress with grams of material

Pilot Scale

- Demonstrates process credibility and claim verification
  - Leverages scaled down versions of production equipment
  - Production of meaningful cathode samples (10 tpa)
  - Enables full cell performance testing

2019 — Priority date of first patent application

2020-2022 — Lab demonstration of cathode performance

Mid-2023 — Commission pilot R&D facility

Late-2023 — Cathode sampling program begun

2024 — Strategic partnership discussions

It is critical to utilize familiar equipment to produce familiar materials for the stringent requirements of the battery supply chain

Early ‘All-Dry’ Methods Were Cast Aside for Wet (Co-Precipitation) Processes

Early all-dry ternary cathode synthesis methods resulted in poor intra-particle homogeneity

Commercial NMC622
Conventional Process





Solid-State NMC622
All-Dry Process





Journal of The Electrochemical Society, 2023 **170** 080519

Quantitative Measurement of Compositional Inhomogeneity in NMC Cathodes by X-ray Diffraction

Mohammad H. Tahmasebi[1] and **M. N. Obrovac**[1,2,3,*,z]

[1]*Department of Chemistry, Dalhousie University, Halifax, Nova Scotia B3H 4R2, Canada*
[2]*Department of Physics and Atmospheric Science, Dalhousie University, Halifax, Nova Scotia B3H 4R2, Canada*
[3]*Clean Technologies Research Institute, Dalhousie University, Halifax, Nova Scotia B3H 4R2, Canada*

Poor intraparticle homogeneity leads to strain within the particle and poor mechanical and electrochemical performance

Advanced Imaging Diagnostics for NOVONIX All-Dry, Zero-Waste Cathode

Commercial Mid-Nickel Reference Powder

- Scanning Transmission Electron Microscopy (STEM) Imaging
  - Homogeneous metal distribution



Commercial Mid-Nickel Reference Powder

- Scanning Transmission Electron Microscopy (STEM) Imaging
  - Homogeneous metal distribution



NOVONIX patented All-Dry, Zero-Waste Processing
ensures homogeneous intraparticle metal distribution

Conditional Proposal - Mount Dromedary & Axon Graphite

World class, large-scale natural high-grade flake graphite project

- Conditional 50/50 Joint Venture with NVX "merging" Mount Dromedary asset in exchange for shares in LEL subsidiary, Axon Graphite
- Axon Graphite holds the Burke and Corella Tenements in Queensland
- Intend to list Axon Graphite on the ASX to raise new capital targeting between A$15 million – A$25 million

Axon's principal activities will include:

- Advancing the development of the Burke/Mt. Dromedary graphite projects;
- Advancing the exploration, evaluation and development of the Corella graphite project;
- Progressing the development of a vertically integrated Spherical Purified Graphite Battery Anode Material manufacturing facility in Queensland; and
- Investigating and potentially pursuing other prospective projects in the battery minerals sector both in Australia and abroad.

LITHIUM ENERGY LTD



Drill Holes & Tenements
Burke & Mt Dromedary Graphite Projects, Queensland

Equity Raising Overview

Offer Size & Structure	• A$52.1 million (~US$34.0 million[1]) capital raising comprising of a placement in two tranches: – Underwritten[2] institutional placement to raise approximately A$44.4 million (~US$29.0 million[1]) (“Institutional Placement”) – Committed investment from Phillips 66 for US$5 million (~A$7.7 million[1]), subject to shareholder approval that will be sought at an Extraordinary General Meeting expected to be held on or about 22 January 2025 (“Conditional Placement”) • The Company will also undertake a non-underwritten SPP to raise approximately A$5.0 million (~US$3.3 million[1])[3] and will be offered to eligible shareholders who can apply for up to A$30,000 of New Shares at the Offer Price (depending on final pricing per ASX Listing Rules) • If demand exceeds this amount, the Company may scale back applications under the SPP at its absolute discretion • Placement and SPP will issue up to approximately 95.2 million new fully paid ordinary shares (representing 19.3% of the total shares of the Company prior to the capital raising)
Offer Pricing	• Offer price of A$0.60 (“Offer Price”) per new share, representing a: ○ 29.7% discount to the 5-day VWAP up to and including 25 November 2024 of A$0.853 ○ 37.8% discount to the last close of A$0.965 on 25 November 2024
Use of Proceeds	• Proceeds used for installing and commissioning property, plant and equipment for 3K tpa at the Riverside facility by H1 2025 and continued build-out for commercial production to start late 2025
Underwriting	• The Institutional Placement was fully underwritten by Citigroup Global Markets Australia Pty Ltd ("Citi") and Jefferies (Australia) Pty Limited (“Jefferies”) • The Conditional Placement and SPP are not underwritten
Ranking	• New Shares issued under the offer will rank equally with existing shares on issue

1. Converted from AUD to USD based on the spot exchange rate as at 25 November 2024. on the RBA website
2. For further details on the terms and conditions of the underwriting arrangements, see slides 40 to 42
3. The Company may (in its absolute discretion), where the total applications under the SPP exceed $5 million, determine to increase the amount raised to reduce or eliminate the need to scale-back
4. Based on the placement capacity of ~74,064,647 shares